



Solutions for Education

Today's colleges and universities demand accessible and reliable technology that supports organizational effectiveness and meets ever-expanding infrastructure needs for the future. At Epson®, we have 40 years of experience developing breakthrough solutions that broaden learning experiences, promote collaboration, and serve students, faculty and staff. From lecture halls and events centers to libraries and administrative suites, our economical, scalable and dependable Brighter Futures® solutions will support your institution as you evaluate and plan for the years ahead.

Designed for Learning and Beyond

Enhance your institution's academic environment with dynamic, world-class imaging technologies that invite participation and engage viewers in any environment, whether it's a study space, lab, lecture hall or athletic facility. From powerful large-venue projectors, advanced displays, ultra fast printers and robust scanners all the way to our innovative Moverio® smart glasses, Epson's comprehensive suite of technology solutions will meet any need.

Economical Solutions That Deliver on Investment

We understand the strategic planning that goes into budget initiatives — that's why our

Brighter Futures program goes beyond special pricing. Our products deliver outstanding ROI, tremendous scalability, solid reliability, and easy integration with existing infrastructure and systems to help institutions achieve a better bottom line. Find the latest pricing information online at www.epson.com/edguide

Reliability You Can Count On

Our products are designed to work day in and day out to serve students, faculty, staff and guests at your institution. Offering decades of road-tested reliability, Epson education solutions are backed by one of the world's finest customer care programs, with service and support that go the extra mile.



Table of Contents

4 Projectors and Displays

- 5 Display Size Makes a Difference in the Classroom
- 7 Large-venue Projectors
- 8 Epson Laser Projection Technology
- 9 Laser Large-venue Installation Projectors
- 10 Large-venue Installation Projectors
- 11 Optional Ultra Short-throw Lenses
- 12 Large-venue Installation Projectors — Optional Lenses
- 13 Interactive Display Solutions
- 14 Interactive Displays for On-campus and Remote Collaboration
- 15 Interactive Displays for Classrooms and Study Spaces
- 16 Presentation Displays
- 17 Basic Installation Projectors
- 18 Projectors for Large Rooms and Rooms with High Ambient Light
- 19 Laser Projectors for Large Rooms and Rooms with High Ambient Light
- 20 Advanced Networking Classroom Projectors with 1.6x Optical Zoom
- 21 Ultra Portable and Travel-friendly Projectors
- 22 Advanced Networking Classroom Projectors
- 23 Accent Lighting Laser Projectors
- 24 Epson Technology Advantages
- 25 Projector and Display Accessories

28 Document Cameras

30 Printers

- 31 Ultra High-speed Multifunction Network Printers
- 32 High-volume Distributed Printing for Labs and Administrative Offices
- 33 Wide-format Distributed Printing for Libraries and Resource Centers
- 34 Classroom and Mobile Printing
- 35 Cartridge-Free Printing
- 36 Large-format Single and Multifunction Graphics Printers

38 Scanners

- 39 Document Scanners for Staff on the Go
- 40 Document Scanners for Records, Grading, Forms and More
- 41 Document Scanners for High-speed, High-volume Scanning
- 42 Photo and Graphic Arts Scanners

44 Augmented Reality Smart Glasses

46 Find Your Sales Representative

Projectors and Displays



Large-venue Projectors



Interactive Displays



Ultra Short-throw Displays



Advanced Networking Projectors

Whether you're searching for powerful visual solutions for large lecture halls and events centers, state-of-the-art laser displays, or bright classroom projectors, Epson offers a comprehensive lineup of projectors and displays that are designed to engage viewers in ways never before imagined.

We understand that each classroom and campus facility presents a unique opportunity to impact and heighten the student experience. From high-brightness, large-venue products for well-lit spaces to interactive whiteboarding solutions that make collaborative, personalized learning a regular part of instruction, Epson is the world leader in projection technology.

Image projected using Epson Pro L25000U WUXGA 3LCD laser projectors. Image courtesy of UNLV. Photo taken by Zak Krill.





Display Size Makes a Difference in the Classroom

A 2016 study shows that 55 percent of viewers cannot read content on a 70" display in an average-sized room¹. That's why it's important that a display is large enough for everyone to clearly see it in an average-sized room — and read what's on it from anywhere in the room. For many rooms, flat-panel displays are simply too small to give viewers optimum readability. In contrast, Epson offers the flexibility to maximize readability for everyone in the room. To understand the connection between display size and viewing distance, and for help in making sure your display image sizes meet your goals, visit www.epson.com/displaysize

Determining optimal display sizes for different rooms

To optimize visibility, productivity and interaction, consider both room size and use.

Study Spaces, Seminar and Medium-sized Rooms:

- Use the Desktop Equivalent Visibility (DEV) method (*Chart 1, next page*)
- More conducive to group interaction and creative exchange
- Both readability and personal engagement are important
- These spaces are usually 16' or less in length

Large Rooms:

- Use “4x the display height” as a guide, as indicated in the 4/6/8 Rule (*Chart 2, next page*)
- Information is typically shared by one person to many others
- Readability of content shared (presentations, spreadsheets, webpages) is of primary importance for viewers to process information and achieve results
- Viewing distances are typically greater than 13'; and sometimes as long as 30' or more

Lecture Halls:

- Use “6x the display height” as a guide, as indicated in the 4/6/8 Rule (*Chart 3, next page*)
- Information is typically presented by one person to an entire audience
- Periods of uninterrupted focus, with easily readable content, are critical
- Viewing distances are typically greater than 18'; and sometimes as long as 45' or more

GENERAL RULE OF THUMB		
Study Spaces/Seminar Rooms/ Medium-sized Rooms	Up to 16' long, Active Collaboration	Desktop Equivalent Visibility (DEV)
Large Rooms	Longer than 13', Passive Participation	4/6/8 Rule, 4x Multiplier
Lecture Halls	Longer than 18', Passive/Active Blend	4/6/8 Rule, 6x Multiplier

Study Spaces, Seminar and Medium-sized Rooms

Use the Desktop Equivalent Visibility (DEV) method

The DEV method uses the OSHA standard that sizes monitors for individuals sitting at their desks and transfers this standard to the group meeting space. The key point is that the content being shared needs to migrate over from an individual's viewing experience to a group's active collaboration experience.

Chart 1 provides recommended display sizes based on the DEV standard to optimize the environment for group collaboration.

Large Rooms

Use the 4x portion of the 4/6/8 Rule

A room of this size can probably accommodate 15 or more participants, which means it will typically be used for presentations/review (passive participation).

Chart 2 shows acceptable display sizes based on four times (4x) the display height, as noted in the 4/6/8 Rule, which is the best standard to use for larger rooms. This enables analytical viewing and critical decision making, as anticipated by 4/6/8 Rule recommendations.

Lecture Halls

Use the 6x portion of the 4/6/8 Rule

Lecture halls feature visual displays that are used to share materials developed specially for large audiences. The ideal viewing in this space, per the 4/6/8 Rule, is six times (6x) the display height, which applies to basic viewing/decision making.

Chart 3 illustrates the applicability of different display sizes in lecture halls at the 6x height parameter.

Chart 1

Display Sizes for Study Spaces, Seminar and Medium Rooms

Based on the Desktop Equivalent Visibility (DEV) Method

Viewing Distance (feet)	Typical Room Length (feet)	Minimum Display Size (diagonal inches)	Acceptable Display Sizes					
			55" Display	65" Display	70" Display	80" Display	100" Display	120" Display
6	9-10	54						
6.5-7	9.5-11	59-63						
7.5	10.5-11.5	68						
8-9.5	11-13.5	72-86						
10-12	13-16	90-108						
			Not Acceptable			Acceptable		

Chart 2

Display Sizes for Large Rooms

Based on 4x the Display Height (4/6/8 Rule)

Viewing Distance (feet)	Typical Room Length (feet)	Minimum Display Size (diagonal inches)	Acceptable Display Sizes					
			80" Display	100" Display	120" Display	150" Display	180" Display	200" Display
13-14	16-18	80-86						
15-19	18-23	92-116						
20-24	23-28	122-147						
25-30	28-34	153-184						
			Not Acceptable			Acceptable		

Chart 3

Display Sizes for Lecture Halls

Based on 6x the Display Height (4/6/8 Rule)

Viewing Distance (feet)	Typical Room Length (feet)	Minimum Display Size (diagonal inches)	Acceptable Display Sizes					
			80" Display	100" Display	120" Display	150" Display	180" Display	200" Display
18-19	21-23	73-78						
20-24	23-28	82-98						
25-29	28-33	102-118						
30-36	33-40	122-147						
37-44	40-48	151-179						
45	48-49	184						
			Not Acceptable			Acceptable		

For more information, visit www.epson.com/displaysize



Large-venue Projectors

Designed for uncompromising performance, Epson large-venue installation projectors are powerful performers for virtually all large spaces, including lecture halls, events centers, stadiums and more. Available in laser and lamp-based models, these premium large-venue projectors feature high lumens for bright, colorful images and utilize advanced display technologies to create immersive experiences that will captivate any audience.

Visit www.epson.com/largevenue for more information and to compare models.

Why choose Epson for your large-venue projection needs?

- **3-chip, 3LCD technology** — for high color brightness
- **Industry-leading service and support** — limited warranty of 3 years or 20,000 hours, whichever comes first, plus free Next-Business-Day replacement^{2*} with postage-paid returns
- **Epson 4K Enhancement Technology^{3**}** — a revolutionary technology that accepts 4K signal and enhances the native resolution for output that surpasses Full HD image quality
- **Wide selection of powered lenses with lens memory** — including zero- and negative-offset 0.35 ultra short-throw lenses for shallow spaces^{***}
- **Diverse connectivity options^{**}** — including 3G-SDI, HDBaseT™, DVI-D, HDMI®, 5-BNC and wireless
- **Emulation Mode^{4**}** — saves time and money when replacing other manufacturers' projectors
- **Compatible with leading control systems** — such as Crestron®, AMX®, Extron XTP®, Control4^{®**} and Art-Net^{**}



Pro G Series	Pro L Series
Single lamp	Laser light source
Up to 8,000 lumens ⁵	Up to 15,000 lumens ⁵
10 optional powered lenses	10 optional powered lenses ^{***}
	Virtually maintenance-free — up to 20,000 hours laser light source ⁶

^{*}Not available for the Pro L25000U.

^{**}Specifications vary by model.

^{***}Lens compatibility varies by model. See page 12 for details.




Epson Laser Projection Technology

Virtually maintenance-free operation






As a world leader in digital 3LCD projection solutions, Epson continues to drive the future of classroom and projection technology with its full suite of laser projectors and displays. Featuring lamp-free, long-life, laser light engines, Epson laser solutions achieve new levels of performance and reliability.

Why choose laser?

- **Breakthrough laser technology** — long-life laser light engine provides up to 20,000 hours of light source life⁶
- **Outstanding color performance and contrast** — get exceptional, true-to-life color reproduction and deep, dark blacks for stunning visuals you can count on for an array of applications
- **Instant OFF®/ON** — displays and projectors reach maximum brightness and turn off almost immediately, without having to warm up or cool down
- **Reliable 24/7 operation** — ideal for applications requiring continuous projection



Explore Epson Laser Projectors and Displays

Large-venue Laser Projectors	Laser Interactive Displays	Laser Digital Signage Displays	Classroom Laser Projectors	Accent Lighting Laser Projectors
				
High-lumen laser projectors designed for exceptional performance in auditoriums, gymnasiums and more	Full HD, ultra short-throw interactive laser displays for collaborative learning experiences	Bold, rich Full HD laser displays for virtually any signage or presentation need	High-performance laser projectors offering a variety of brightness, connectivity and resolution	Project dynamic, experiential content for signage, wayfinding, branding and promotions

Laser Large-venue Installation Projectors



These laser large-venue installation projectors offer virtually maintenance-free operation, with a laser light source rated up to 20,000 hours⁶. The projectors also deliver up to native Full HD WUXGA performance with Epson 4K Enhancement Technology³ and exceptional integration capabilities.



MODEL	Pro L1100U	Pro L1200U	Pro L1300U	Pro L1405U	Pro L1500UH	Pro L1505UH	Pro L1715SNL	Pro L1750UNL	Pro L1755UNL	Pro L25000U
Product Code	V11H735020	V11H734020	V11H733020	V11H739120	V11H910020	V11H910120	V11H890820	V11H892920	V11H892820	V11H679820
Case Color	White	White	White	Black	White	Black	Black	White	Black	Black
Lens Included	Yes	Yes	Yes	Yes	Yes	Yes	—	—	—	—
Road Service Limited Warranty	3-year or 20,000 hours, whichever comes first									
Color Brightness (Color Lumens) ⁵	6,000	7,000	8,000	8,000	12,000	12,000	15,000	15,000	15,000	25,000
White Brightness (White Lumens) ⁵	6,000	7,000	8,000	8,000	12,000	12,000	15,000	15,000	15,000	25,000
Native Resolution ⁷	Full HD WUXGA with 4K Enhancement Technology ³						SXGA+	Full HD WUXGA with 4K Enhancement Technology ³		
Contrast Ratio	Up to 2,500,000:1									
Light Source	Laser Phosphor									
Light Source Life (Hours) ⁶	Up to 20,000	Up to 20,000	Up to 20,000	Up to 20,000	Up to 20,000	Up to 20,000	Up to 20,000	Up to 20,000	Up to 20,000	Up to 20,000
Built-in Speaker	10 W Mono	10 W Mono	10 W Mono	—	—	—	—	—	—	—
Epson iProjection™ Suite ⁸ (Moderator ⁹ , Multi-PC, Device Management)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)									
Wireless Connectivity	Optional									
Compatible Control Systems	Crestron, AMX, Extron®, Control4, Art-Net*									
3G-SDI	—	—	—	Yes	Yes	Yes	—	Yes	Yes	Yes
HDBaseT	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Other	HDMI, DVI-D, VGA, 5-BNC, RS-232									

FEATURES

- **Up to 25,000 lumens color and white brightness⁵** — Epson is the first projector manufacturer to combine inorganic 3LCD panels with an inorganic phosphor wheel to achieve high brightness and reliability
- **Industry-leading service and support** — limited warranty of 3 years or 20,000 hours, whichever comes first, plus free Next-Business-Day replacement^{2**} with postage-paid returns
- **Wide selection of powered lenses with lens memory** — including zero- and negative-offset 0.35 ultra short-throw lenses for shallow spaces***
- **Versatile connectivity** — supports the full range of inputs, including HDBaseT, HDMI, DVI-D, 3G-SDI*, VGA and 5-BNC, for easy integration with any system

RECOMMENDED ACCESSORIES

- HDBaseT Transmitter
- Low Ceiling Mount
- High Ceiling Mount

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is Pro L1755UNL.

Visit www.epson.com/support to see the connectivity options for all models listed.

*Specifications vary by model.

**Not available for the Pro L25000U.

***Lens compatibility varies by model.

See page 12 for details.

Large-venue Installation Projectors

These large-venue installation projectors offer optional interchangeable powered lenses for extraordinary installation flexibility, plus advanced projection technologies, including Edge Blending, for a range of applications. Select models offer revolutionary Epson 4K Enhancement Technology³ for output that surpasses Full HD.



MODEL	Pro G7100	Pro G7805	Pro G7000W	Pro G7200W	Pro G7400U	Pro G7500U	Pro G7905U
Product Code	V11H754020	V11H753120	V11H752020	V11H751020	V11H762020	V11H750020	V11H749120
Replacement Lamp Code	V13H010L93	V13H010L93	V13H010L93	V13H010L93	V13H010L93	V13H010L93	V13H010L93
Lens Included	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Road Service Limited Warranty	3-year or 20,000 hours, whichever comes first						
Color Brightness (Color Lumens) ⁵	6,500	8,000	6,500	7,500	5,500	6,500	7,000
White Brightness (White Lumens) ⁵	6,500	8,000	6,500	7,500	5,500	6,500	7,000
Native Resolution ⁷	XGA	XGA	WXGA	WXGA	Full HD WUXGA with 4K Enhancement Technology ³		
Contrast Ratio	Up to 50,000:1						
Light Source	Lamp	Lamp	Lamp	Lamp	Lamp	Lamp	Lamp
Light Source Life (Normal/ECO Hours) ¹⁰	Up to 3,000/4,000 (2,000 in Portrait Mode)						
Built-in Speaker	10 W	10 W	10 W	10 W	10 W	10 W	10 W
Epson iProjection Suite ⁸ (Moderator ⁹ , Multi-PC, Device Management)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)						
Wireless Connectivity	Optional						
Compatible Control Systems	Crestron, AMX, Extron, Control4						

FEATURES

- **Installation made easy** — interchangeable lens options, lens shift capability, HDBaseT inputs, 360-degree installation
- **Dynamic projection capabilities** — advanced built-in Edge Blending, image warping and curved-surface correction technologies for a variety of applications
- **Web-based remote management** — control and monitor projector status via a Web browser
- **Epson 4K Enhancement Technology^{3*}** — a revolutionary technology that accepts 4K signal and enhances the native resolution for output that surpasses Full HD image quality

RECOMMENDED ACCESSORIES

- Custom Micro-adjustable Mount
- HDBaseT Transmitter
- Low Ceiling Mount
- High Ceiling Mount

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is Pro G7905U.
Visit www.epson.com/support to see the connectivity options for all models listed.

*Specifications vary by model.



Optional Ultra Short-throw Lenses

Transform your Pro G or Pro L Series projector into an ultra short-throw display for ultimate installation flexibility. Install the projector just inches from the screen or wall — away from foot traffic — and still get huge, bright, crisp projection. Featuring a 0.35 throw ratio — plus zero offset on the ELPLX01 and negative offset on the ELPLX02 — these lenses are ideal for installation in narrow or tight spaces. And, wide lens shift gives you even more flexibility when you need it.

Using this lens, you can project from above or below for a dynamic screen or wall display.



All projected images in this catalog are simulated.

Using this lens, you can project from above or below for a dynamic screen or wall display.

Large-venue Installation Projectors — Optional Lenses

Lenses Compatible with Pro G7000 Series Projectors and the Pro L1100U, L1200U, L1300U and L1405U

Model	Ultra Short Lens	Short Lens #1	Short Lens #2	Wide Lens #1	Wide Lens #2	Middle Lens #1	Middle Lens #2	Middle Lens #3	Middle Lens #4	Long Lens
Product Code	V12H004X01	V12H004U03	V12H004U04	V12H004W05	V12H004W06	V12H004M08	V12H004M0F	V12H004M0A	V12H004M0B	V12H004L08
Zoom Ratio	1.0	1.0 – 1.2x	1.0 – 1.2x	1.0 – 1.4x	1.0 – 1.4x	1.0 – 1.6x	1.0 – 1.6x	1.0 – 1.5x	1.0 – 1.5x	1.0 – 1.4x
Throw Ratio (16:10)	0.35	0.65 – 0.78	0.87 – 1.06	1.04 – 1.46	1.63 – 2.22	1.44 – 2.32	2.16 – 3.49	3.33 – 5.06	4.86 – 7.38	7.22 – 10.12

For Pro L1500 and L1700 Series Models Only

Model	Ultra Short Lens	Short Lens #1	Short Lens #2	Wide Lens #1	Wide Lens #2	Wide Lens #3	Middle Lens #2	Middle Lens #3	Middle Lens #4	Long Lens
Product Code	V12H004X02	V12H004U03	V12H004U04	V12H004W05	V12H004W06	V12H004W08	V12H004M0F	V12H004M0A	V12H004M0B	V12H004L08
Zoom Ratio	1.0	1.0 – 1.2x	1.0 – 1.2x	1.0 – 1.4x	1.0 – 1.37x	1.0 – 1.4x	1.0 – 1.6x	1.0 – 1.5x	1.0 – 1.5x	1.0 – 1.39x
Throw Ratio (16:10)	0.35	0.48 – 0.57	0.64 – 0.77	0.77 – 1.07	1.19 – 1.62	0.86 – 1.21	1.57 – 2.56	2.43 – 3.71	3.54 – 5.41	5.27 – 7.41



Epson offers an array of projector lenses to fit many types of applications and requirements.



Interactive Display Solutions

Epson's BrightLink® Pro collaborative display solutions connect people, technology and ideas into one seamless digital experience, facilitating better communication by turning any flat surface into an interactive area. Available in laser and lamp-based models, BrightLink Pro is the perfect display solution for classrooms, study spaces, administrative offices and more. Built for today's learning environments, these displays offer whiteboard sharing for local, on-campus collaboration as well as engagement with remote participants anywhere in the world on the same network.

Epson also offers the high-performance, network-ready BrightLink 600/700 Series interactive displays, also available in laser and lamp-based models. Designed for classrooms, seminar rooms, study spaces and more, these displays provide a fully integrated system that eliminates the need for a dedicated electronic whiteboard. Turn existing dry-erase whiteboards, plain walls and tables into interactive display areas measuring from 60" up to 100" with no extra cost.

For more information, visit

www.epson.com/brightlinkpro and **www.epson.com/brightlink**



Interactive Displays for On-campus and Remote Collaboration

Big, bright and easy to use, BrightLink Pro reinvents the traditional whiteboard for dynamic collaboration both on-campus and across the globe. Share whiteboard content instantly with up to 15 local or remote participants connected to the same network. Participants can join the session and annotate content using a tablet, smartphone or computer, via a Web browser, or another BrightLink Pro. Plus, it offers flexible installation on a wall, drafting table or other flat surface.



MODEL	BrightLink Pro 1450Ui	BrightLink Pro 1460Ui	Laser Model
			BrightLink Pro 1470Ui
Product Code	V11H727520W	V11H726520W	V11H876520W
Replacement Lamp Code	V13H010L92	V13H010L92	—
Road Service Limited Warranty	3-year*	3-year*	3-year
Color Brightness (Color Lumens) ⁵	3,800	4,400	4,000
White Brightness (White Lumens) ⁵	3,800	4,400	4,000
Native Resolution ⁷	Full HD WUXGA	Full HD WUXGA	Full HD WUXGA
Contrast Ratio	Up to 16,000:1	Up to 16,000:1	Up to 2,500,000:1
Light Source	Lamp	Lamp	Laser Phosphor
Light Source Life (Normal/ECO Hours)	Up to 5,000/10,000 ¹⁰	Up to 5,000/10,000 ¹⁰	Up to 20,000/30,000 (Extended Mode) ⁶
Built-in Speaker	16 W	16 W	16 W
Epson iProjection Suite ⁸ (Moderator ⁹ , Multi-PC, Device Management)	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)		
Enterprise Wireless Security	Included	Included	Included
Compatible Control Systems	Crestron, AMX, Extron, Control4, PJLink		
Pens	2 pens included; Dual-user support		
Finger Touch	Yes, up to 6 fingers	Yes, up to 6 fingers	Yes, up to 6 fingers
Interactive Pen Functions	Mouse Function (Left/Right Click), Digital Pen, LED Battery Status Indicator		
PC-free Whiteboard Sharing	Yes	Yes	Yes
DuoLink Continuous Whiteboard ¹¹	Yes	Yes	Yes
Interactive Image Size (Inches)	70 – 100	70 – 100	70 – 100
PC-free Digital Whiteboard	Up to 50 pages	1 page	Up to 50 pages
Wall-mounted Control Pad	Yes	Yes	Yes
PC-free Annotation, Save, Email, Print	Yes	Yes	Yes
Included Software	Easy Interactive Tools/Driver for PC/Mac [®] , Built-in Annotation Toolbar		

FEATURES


- **Reinvent your whiteboard** — turn any wall or existing dry-erase board into a 100" interactive display
- **Full HD WUXGA display up to 100" (diagonal)** — for an optimal viewing experience and clear readability — 3x as big as a 60" (diagonal) flat panel
- **DuoLink** — install two interactive displays side by side to achieve an even larger interactive display area¹¹
- **Laser model available** — up to 20,000 hours of light source life⁶

RECOMMENDED ACCESSORIES

- Ultra Short-throw Wall Mount
- Ultra Short-throw Table Mount
- 100" Whiteboard
- Motorized Interactive Table
- Replacement Pen — Orange
- Replacement Pen — Blue
- Replacement Air Filter for Laser Display V13H134A43 (ELPAF43)

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is BrightLink Pro 1470Ui. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard limited warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.

Interactive Displays for Classrooms and Study Spaces

Introduce collaborative learning to almost any classroom or study space with these bright, dynamic and easy-to-use interactive displays. Offering dual-user pen-based and/or touch-enabled interactivity for up to six users at a time (available on select models), these displays are designed to maximize student collaboration and engagement. Plus, instructors can share presentations — or students' work — from laptops, notebooks, tablets, and iOS® and Android™ mobile devices, or annotate PC-free with no device at all.



	Laser Model					
MODEL	BrightLink 536Wi	BrightLink 685Wi	BrightLink 695Wi	BrightLink 696Ui	BrightLink 697Ui	BrightLink 710Ui
Product Code	V11H670022	V11H741522	V11H740522	V11H728022	V11H823022	V11H877022
Replacement Lamp Code	V13H010L87	V13H010L91	V13H010L91	V13H010L92	V13H010L92	—
Road Service Limited Warranty	3-year*	3-year*	3-year*	3-year*	3-year*	3-year
Color Brightness (Color Lumens) ⁵	3,400	3,500	3,500	3,800	4,400	4,000
White Brightness (White Lumens) ⁵	3,400	3,500	3,500	3,800	4,400	4,000
Native Resolution ⁷	WXGA	WXGA	WXGA	Full HD WUXGA	Full HD WUXGA	Full HD WUXGA
Contrast Ratio	Up to 16,000:1	Up to 14,000:1	Up to 14,000:1	Up to 16,000:1	Up to 16,000:1	Up to 2,500,000:1
Light Source	Lamp	Lamp	Lamp	Lamp	Lamp	Laser Phosphor
Light Source Life (Normal/ECO Hours)	Up to 5,000/10,000 ¹⁰	Up to 5,000/10,000 ¹⁰	Up to 5,000/10,000 ¹⁰	Up to 5,000/10,000 ¹⁰	Up to 5,000/10,000 ¹⁰	Up to 20,000/30,000 (Extended Mode) ⁶
Built-in Speaker	16 W	16 W	16 W	16 W	16 W	16 W
Epson iProjection Suite ⁸ (Moderator ⁹ , Multi-PC, Device Management)	Yes	Yes	Yes	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)					
Wireless Connectivity	Optional				Included	Optional
Compatible Control Systems	Crestron, AMX, Extron, Control4, PJLink**					
Pens	1 pen included; Dual-user support	2 pens included; Dual-user support				
Finger Touch	—	—	Yes, up to 6 fingers	Yes, up to 6 fingers	Yes, up to 6 fingers	Yes, up to 6 fingers
Interactive Pen Functions	Mouse Function (Left/Right Click), Digital Pen, LED Battery Status Indicator					
PC-free Whiteboard Sharing	—	—	—	—	Yes	—
DuoLink Continuous Whiteboard ¹¹	—	Yes	Yes	Yes	Yes	Yes
Interactive Image Size (Inches)	60 – 113	60 – 100	60 – 100	70 – 100	70 – 100	70 – 100
PC-free Digital Whiteboard	1 page	1 page	1 page	1 page	Up to 50 pages	1 page
Wall-mounted Control Pad	—	—	—	—	Yes	—
PC-free Annotation, Save, Email, Print	Annotate, Save, Print				Yes	Annotate, Save, Print
Included Software	Easy Interactive Tools/Driver for PC/Mac, Built-in Annotation Toolbar, SMART Notebook®					

FEATURES

- **Fully integrated, pen- and finger-based interactivity** — turns almost any existing dry-erase board or plain wall into an interactive workspace (finger-based interactivity available on select models)
- **Remote management and control** — easy network connectivity for help desk support; software included
- **Brilliant image quality up to Full HD WUXGA** — with up to 4,400 lumens of color brightness and 4,400 lumens of white brightness⁵
- **Laser models available** — up to 20,000 hours of light source life⁶

RECOMMENDED ACCESSORIES

- Short-throw Wall Mount for BrightLink 536Wi
- Ultra Short-throw Wall Mount
- Wireless LAN Module
- 100" Whiteboard
- Replacement Pen — Orange
- Replacement Pen — Blue
- Replacement Air Filter for Laser Display V13H134A43 (ELPAF43)

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is BrightLink 697Ui. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard limited warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.
**Specifications vary by model.

Presentation Displays

These bright, versatile displays feature built-in ultra short-throw lenses for images up to 100" (diagonal) from as little as 11" away, with minimal shadows and glare. The lamp-based PowerLite 600 Series and 700U laser signage display feature advanced wireless capabilities and connectivity, including laptop, notebook, tablet and mobile device support.



MODEL	PowerLite 675W	PowerLite 680	PowerLite 685W	Laser Model
				PowerLite 700U for Signage
Product Code	V11H745520	V11H746520	V11H744520	V11H878520
Replacement Lamp Code	V13H010L90	V13H010L91	V13H010L91	—
Road Service Limited Warranty	3-year*	3-year*	3-year*	3-year
Color Brightness (Color Lumens) ⁵	3,200	3,500	3,500	4,000
White Brightness (White Lumens) ⁵	3,200	3,500	3,500	4,000
Native Resolution ⁷	WXGA	XGA	WXGA	Full HD WUXGA
Contrast Ratio	Up to 14,000:1	Up to 14,000:1	Up to 14,000:1	Up to 2,500,000:1
Light Source	Lamp	Lamp	Lamp	Laser Phosphor
Light Source Life (Normal/ECO Hours)	Up to 5,000/10,000 ¹⁰	Up to 5,000/10,000 ¹⁰	Up to 5,000/10,000 ¹⁰	Up to 20,000/30,000 (Extended Mode) ⁶
Built-in Speaker	16 W	16 W	16 W	16 W
Epson iProjection Suite ⁸ (Moderator ⁹ , Multi-PC, Device Management)	Yes	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)			
Wireless Connectivity	Optional			
Compatible Control Systems	Crestron, AMX, Extron, Control4, PJLink			

FEATURES

- **Easy wireless content sharing** — share images between the screen and wirelessly connected laptops, notebooks, tablets, iOS and Android devices⁸
- **Up to 3x HDMI ports** — supports high-definition A/V devices including the latest laptops, Blu-ray Disc[®] and media players
- **Remote management and control** — easy network connectivity for help desk support; software included
- **Long-life displays** — lamp-based models last up to 10,000 hours in ECO Mode¹⁰; PowerLite 700U offers up to 20,000 hours of light source life⁶

RECOMMENDED ACCESSORIES

- Ultra Short-throw Wall Mount
- PowerLite Pilot™ 2 Connection and Control Box
- Wireless LAN Module

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is PowerLite 685W. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard limited warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.

Basic Installation Projectors

Designed for medium- and large-sized rooms with high ambient light, these installation projectors offer powerful brightness, super-wide lens shift and robust digital connectivity.



MODEL	PowerLite 5520W	PowerLite 5535U
Product Code	V11H826020	V11H824120
Replacement Lamp Code	V13H010L95	V13H010L95
Case Color	White	Black
Road Service Limited Warranty*	3-year	3-year
Color Brightness (Color Lumens) ⁵	5,500	5,500
White Brightness (White Lumens) ⁵	5,500	5,500
Native Resolution ⁷	WXGA	Full HD WUXGA
Contrast Ratio	Up to 15,000:1	Up to 15,000:1
Light Source	Lamp	Lamp
Light Source Life (Normal/ECO Hours) ¹⁰	Up to 5,000/10,000	Up to 5,000/10,000
Manual Lens Shift	±50 percent vertical ±10 percent horizontal	±50 percent vertical ±10 percent horizontal
Built-in Speaker	10 W	10 W
Epson iProjection Suite ⁹ (Moderator ⁹ Multi-PC, Device Management)	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)	
Wireless Connectivity	Optional	
Compatible Control Systems	Crestron, AMX, Extron, Control4	

FEATURES

- **Installation flexibility** — up to ±50 percent vertical and ±10 percent horizontal lens shift; also features lens shift lock
- **Advanced connectivity** — HDBaseT and 2x HDMI inputs for easy integration with any system
- **Enterprise-level wireless security** — the optional wireless LAN module supports robust wireless network security protocols designed to help keep information safe
- **Remote network monitoring and control** — plus Message Broadcasting¹² and built-in scheduling functions

RECOMMENDED ACCESSORIES

- Custom Micro-adjustable Mount
- Wireless LAN Module
- HDBaseT Transmitter
- Replacement Air Filter V13H134A45 (ELPAF45)

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is PowerLite 5535U. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard limited warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.

Projectors for Large Rooms and Rooms with High Ambient Light

These portable powerhouse projectors bring stunning high-definition images to medium- and large-sized classrooms and lecture spaces. Select models feature HDBaseT for easy installation, as well as enterprise-level wireless security and Miracast® screen mirroring from mobile devices.



MODEL	PowerLite 2065	PowerLite 2142W	PowerLite 2247U	PowerLite 2250U	PowerLite 2255U
Product Code	V11H820020	V11H875020	V11H881020	V11H871020	V11H815020
Replacement Lamp Code	V13H010L95	V13H010L96	V13H010L96	V13H010L95	V13H010L95
Road Service Limited Warranty*	3-year	3-year	3-year	3-year	3-year
Color Brightness (Color Lumens) ⁵	5,500	4,200	4,200	5,000	5,000
White Brightness (White Lumens) ⁵	5,500	4,200	4,200	5,000	5,000
Native Resolution ⁷	XGA	WXGA		Full HD WUXGA	
Contrast Ratio	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1
Light Source	Lamp	Lamp	Lamp	Lamp	Lamp
Light Source Life (Normal/ECO Hours) ¹⁰	Up to 5,000/10,000	Up to 5,500/12,000		Up to 5,000/10,000	
Built-in Speaker	16 W	16 W	16 W	16 W	16 W
Epson iProjection Suite ⁸ (Moderator ⁹ , Multi-PC, Device Management)	Yes	Yes	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)				
Wireless Connectivity	Included	Included	Included	Optional	Included
Compatible Control Systems	Crestron, AMX, Extron, Control4				

FEATURES

- **Extraordinary versatility** — small enough for moving from room to room; features a full array of connectivity options, including 2x HDMI, MHL^{®13}, VGA, RJ-45 and more
- **Robust integrated wireless networking** — enterprise-level security for peace of mind; compatible with WPA, WPA2-PSK and WPA2-EAP security protocols (optional on some models)
- **Simultaneously display and control multiple device screens** — wirelessly share content from up to four devices with Epson iProjection's built-in Moderator feature⁹
- **Easy wireless content sharing** — share images between the screen and wirelessly connected laptops, notebooks, tablets, iOS and Android devices⁸

RECOMMENDED ACCESSORIES

- Universal Projector Kit
- Wireless LAN Module
- Replacement Air Filter for PowerLite 2142W/2247U V13H134A55 (ELPAF55)
- Replacement Air Filter for PowerLite 2065/2250U/2255U V13H134A41 (ELPAF41)
- HDBaseT Transmitter**

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is PowerLite 2255U. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard limited warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.
**Specifications vary by model.

Laser Projectors for Large Rooms and Rooms with High Ambient Light

Featuring a lamp-free laser light engine rated for up to 20,000 hours⁶, these bright laser projectors offer virtually maintenance-free operation for the life of the optical engine¹⁴. Ideal for medium- and large-sized classrooms and training halls, select models feature HDBaseT for easy installation. Enterprise-level wireless security is also available on select models, or by purchasing an optional wireless LAN module.



MODEL	PowerLite L610	PowerLite L500W	PowerLite L610W	PowerLite L400U	PowerLite L510U	PowerLite L610U	PowerLite L615U
Product Code	V11H905020	V11H908020	V11H904020	V11H907020	V11H903020	V11H901020	V11H901120
Case Color	White	White	White	White	White	White	Black
Road Service Limited Warranty*	3-year	3-year	3-year	3-year	3-year	3-year	3-year
Color Brightness (Color Lumens) ⁵	6,000	5,000	6,000	4,500	5,000	6,000	6,000
White Brightness (White Lumens) ⁵	6,000	5,000	6,000	4,500	5,000	6,000	6,000
Native Resolution ⁷	XGA	WXGA	WXGA	Full HD WUXGA	Full HD WUXGA	Full HD WUXGA	Full HD WUXGA
Contrast Ratio	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1
Light Source	Laser	Laser	Laser	Laser	Laser	Laser	Laser
Light Source Life (Normal/Extended Mode Hours) ⁶	Up to 20,000/30,000	Up to 20,000/30,000	Up to 20,000/30,000	Up to 20,000/30,000	Up to 20,000/30,000	Up to 20,000/30,000	Up to 20,000/30,000
Lens Shift	±50 percent vertical/±30 percent horizontal	—	±50 percent vertical/±20 percent horizontal	—	±50 percent vertical/±20 percent horizontal	±50 percent vertical/±20 percent horizontal	±50 percent vertical/±20 percent horizontal
Zoom Ratio	1 – 1.6	1 – 1.6	1 – 1.6	1 – 1.6	1 – 1.6	1 – 1.6	1 – 1.6
HDBaseT	—	—	Yes	—	Yes	Yes	Yes
Epson iProjection Suite ⁸ (Moderator ⁹ , Multi-PC, Device Management)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)						
Wireless Connectivity	Optional	Optional	Optional	Optional	Optional	Included + Miracast	Included + Miracast
Compatible Control Systems	Crestron, AMX, Control4, PJLink						

FEATURES

- **Breakthrough laser technology** — features a laser light source of up to 20,000 hours⁶; plus, Instant OFF/ON
- **Virtually maintenance-free operation** — for the life of the optical engine¹⁴
- **Wireless networking with enterprise-level security** — plus wireless content sharing with Epson iProjection⁸; available on select models, or with optional LAN module where indicated
- **Advanced installation features** — 360-degree flexibility and geometric correction tools such as horizontal and vertical keystone, arc correction, Quick Corner[®] and more

RECOMMENDED ACCESSORIES

- Universal Projector Kit
- Wireless LAN Module
- Replacement Air Filter for PowerLite L400U / L500W / L610 V13H134A56 (ELPAF56)
- HDBaseT Transmitter

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is PowerLite L615U. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard limited warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.

Advanced Networking Classroom Projectors with 1.6x Optical Zoom

These advanced standard-throw projectors include 1.6x optical zoom lenses for flexible placement, plus premium audio and networking features. They also include 2x HDMI inputs to support multiple high-definition A/V devices and microphone input.



MODEL	PowerLite 970	PowerLite 975W	PowerLite 980W	PowerLite 990U
Product Code	V11H865020	V11H835020	V11H866020	V11H867020
Replacement Lamp Code	V13H010L96	V13H010L95	V13H010L96	V13H010L96
Road Service Limited Warranty*	3-year	3-year	3-year	3-year
Color Brightness (Color Lumens) ⁵	4,000	3,600	3,800	3,800
White Brightness (White Lumens) ⁵	4,000	3,600	3,800	3,800
Native Resolution ⁷	XGA	WXGA	WXGA	Full HD WUXGA
Contrast Ratio	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1
Optical Zoom	1.6x	1.6x	1.6x	1.6x
Light Source	Lamp	Lamp	Lamp	Lamp
Light Source Life (Normal/ECO Hours) ¹⁰	Up to 6,000/12,000	Up to 10,000 (Bright Mode**)	Up to 6,000/12,000	Up to 6,000/12,000
Built-in Speaker	16 W	16 W	16 W	16 W
Epson iProjection Suite ⁸ (Moderator ⁹ , Multi-PC, Device Management)	Yes	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)			
Wireless Connectivity	Optional	Included	Optional	Optional
Compatible Control Systems	Crestron, AMX, Extron, Control4			

FEATURES

- **Premium quality and installation flexibility** — up to Full HD WUXGA resolution and a 1.6x optical zoom for great images, wherever you choose to install the projector
- **Simultaneously display and control multiple device screens** — wirelessly share content from up to four devices with Epson iProjection's built-in Moderator feature⁹
- **Easy wireless content sharing** — share images between the screen and wirelessly connected laptops, notebooks, tablets, iOS and Android devices⁸
- **Remote network monitoring and control** — plus Message Broadcasting¹² and built-in scheduling functions

RECOMMENDED ACCESSORIES

- Wireless LAN Module
- DC-21 Document Camera

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is PowerLite 990U. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard limited warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.

**The projector has a single lamp mode, rated to last up to 10,000 hours. Lamps are warranted for 90 days.

Ultra Portable and Travel-friendly Projectors

These ultra lightweight, thin and bright mobile projectors offer powerful performance in a super-slim design. And, they include built-in tools for quick and simple setup virtually anywhere. Get amazing performance, ease of use and brilliant output — all from these ultra portable projectors.



MODEL	PowerLite 1785W	PowerLite 1795F
Product Code	V11H793020	V11H796020
Replacement Lamp Code	V13H010L94	V13H010L94
Road Service Limited Warranty*	3-year	3-year
Color Brightness (Color Lumens) ⁵	3,200	3,200
White Brightness (White Lumens) ⁵	3,200	3,200
Native Resolution ⁷	WXGA	1080p
Weight	4.0 lb	4.0 lb
Contrast Ratio	Up to 10,000:1	Up to 10,000:1
Light Source	Lamp	Lamp
Light Source Life (Normal/ECO Hours) ¹⁰	4,000/7,000	4,000/7,000
Built-in Speaker	1 W	1 W
Epson iProjection Suite ⁸ (Moderator ⁹ Multi-PC, Device Management)	Yes	Yes
Wired Connectivity	—	—
Wireless Connectivity	Included	Included
Compatible Control Systems	—	—

FEATURES

- **Portable, lightweight and travel friendly** — projectors weigh just 4 lb
- **Easy wireless content sharing** — share images between the screen and wirelessly connected laptops, notebooks, tablets, iOS and Android devices⁸
- **Easy setup and image adjustments** — auto Screen Fit, auto Power On, auto vertical keystone correction

RECOMMENDED ACCESSORIES

- ES1000 Screen
- ES3000 Screen
- DC-21 Document Camera

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is PowerLite 1795F. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.

Advanced Networking Classroom Projectors

These standard-throw projectors include premium networking features that give teachers and administrators more device control, with 2x HDMI inputs to support multiple high-definition A/V devices and microphone input, plus built-in audio.



MODEL	PowerLite 107	PowerLite 108	PowerLite 109W	PowerLite 1266	PowerLite 1286
Product Code	V11H859020	V11H860020	V11H861020	V11H845120	V11H846120
Replacement Lamp Code	V13H010L96	V13H010L96	V13H010L96	V13H010L96	V13H010L96
Road Service Limited Warranty*	3-year	3-year	3-year	3-year	3-year
Color Brightness (Color Lumens) ⁵	3,500	3,700	4,000	3,600	3,600
White Brightness (White Lumens) ⁵	3,500	3,700	4,000	3,600	3,600
Native Resolution ⁷	XGA	XGA	WXGA	WXGA	Full HD WUXGA
Contrast Ratio	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1	Up to 15,000:1
Light Source	Lamp	Lamp	Lamp	Lamp	Lamp
Light Source Life (Normal/ECO Hours) ¹⁰	Up to 6,000/12,000	Up to 6,000/12,000	Up to 6,000/12,000	Up to 6,000/10,000	Up to 6,000/10,000
Built-in Speaker	16 W	16 W	16 W	2 W	2 W
Epson iProjection Suite ⁸ (Moderator ⁹ Multi-PC, Device Management)	Yes	Yes	Yes	Yes	Yes
Wired Connectivity	RJ-45 (Content over IP)			—	—
Wireless Connectivity	Optional			Included	Included
Compatible Control Systems	Crestron, AMX, Extron, Control4			—	—

FEATURES

- **Impressive image quality** — available in native XGA, WXGA and Full HD WUXGA resolutions
- **Simultaneously display and control multiple device screens** — wirelessly share content from up to four devices with Epson iProjection's built-in Moderator feature⁹
- **Remote network monitoring and control** — plus Message Broadcasting¹² and built-in scheduling functions
- **Easy wireless content sharing** — share images between the screen and wirelessly connected laptops, notebooks, tablets, iOS and Android devices⁸

RECOMMENDED ACCESSORIES

- Wireless LAN Module
- DC-21 Document Camera
- ES3000 Screen

See pages 25–27 for product codes and more information.

CONNECTIVITY



Product shown is PowerLite 1286. Visit www.epson.com/support to see the connectivity options for all models listed.

*Standard warranty is 2 years. Brighter Futures pricing includes 1-year warranty extension.

Accent Lighting Laser Projectors

A convergence of lighting and display technology, LightScene laser projectors captivate audiences by simultaneously illuminating and projecting on virtually any surface or material. This groundbreaking solution elevates ordinary spaces into stunning visual environments, unleashing dynamic, experiential content. Utilize LightScene to display your school logo, highlight donors, direct students and staff to the library or a particular lecture hall, or even animate digital mascots.



MODEL	EV-100	EV-105
Product Code	V11H868020	V11H868120
Product Color	White	Black
Road Service Limited Warranty	3 years or 20,000 hours, whichever comes first	
Color Brightness (Color Lumens) ⁵	2,000	
White Brightness (White Lumens) ⁵	2,000	
Native Resolution ⁷	WXGA (1280 x 800)	
Contrast Ratio (Dynamic)	Up to 2,500,000:1	
Light Source Life (Hours) ⁶	Up to 20,000 hours	
Left/Right Up/Down Movement	180 degrees	
Ball-joint Axis Rotation	360 degrees	
Zoom (Powered)	1.58x	
HDMI/SD Card Slot	1x HDMI /1x SD Card Slot	
Variable Audio Out	1x Stereo Mini Out	

FEATURES

- **Create head-turning digital signage** — illuminate and project on virtually any surface or material for basic signage, wayfinding, school branding and promotional messaging
- **Breakthrough laser technology** — provides up to 20,000 hours of light source life⁶, plus a sealed optical engine, for amazing image quality matched by outstanding performance
- **Blends in discreetly** — sleek, white spotlight design easily blends into its surroundings, offering vertical and horizontal rotation, with flexible mounting on tracks, floors, walls or ceilings
- **Robust management and control tools** — via Epson's Web-based application or over the network with Crestron, Art-Net and more





Epson Technology Advantages

Offering high color brightness, plus large, easy-to-see images and the latest in connectivity and wireless support for laptops, notebooks, tablets and mobile devices, Epson visual solutions include a host of convenient features*, making them an ideal fit in any education setting.

Safe, secure and easy to use

Advanced wireless security protocol — available as a built-in feature on select models, or via an optional wireless LAN module for select products with wireless functionality, Epson supports WEP, WPA-PSK, WPA-EAP, WPA2-PSK and WPA2-EAP wireless encryption.

Epson iProjection — with true multi-platform support, users can share images from wirelessly connected devices to the classroom screen, or view the screen's image on their device⁸. Advanced functionality includes two-way content sharing — available with select Epson models — annotation, real-time mobile camera display and more⁸.

Moderator Device Management — this built-in feature allows as many as 50 users to connect simultaneously to the projector/display. Instructors can then select and display content from up to four devices at a time⁹.

Easy, safe integration with existing systems

HDBaseT and diverse connectivity — available on select models, HDBaseT simplifies installation with just one CAT-5/6 cable carrying Full HD video, audio, network and control commands. Additional connectivity options include HDMI, DVI-D, VGA, BNC and LAN inputs, and more.

HDCP 2.2 support — select models support HDCP 2.2, the latest security protocol, designed to create an encrypted, secure connection between a source and a display.

Compatible with leading control systems — select products are compatible with Crestron RoomView®, AMX, Extron XTP and Control4 Simple Device Discovery Protocol (SDDP).

Easy management and control

Epson Projector Management — Epson Monitor software allows built-in remote access to troubleshoot and monitor up to 2,000 Epson networked projectors from any computer over a wired or wireless Ethernet network. View status, including input sources, power on/off, lamp life hours, temperature levels and error alerts, as well as schedule filter and lamp timer settings. Email notification (SMTP) and an enterprise SNMP plug-in are also available.



*Availability varies by model. Please see product specification notes for further information.



Projector and Display Accessories



Connectivity

HDBaseT Transmitter | V12H547020 (ELPHD01)

Maximize convenience with this optional HDBaseT transmitter box, a great companion piece to select models in the PowerLite L Series, 2000 and 5000 Series, as well as the Pro G and L Series. Three inputs are featured for easy installation: HDMI, LAN and RS-232 to output into a CAT-5/6 cable.



Wireless LAN Module | V12H731P02 (ELPAP10)

These high-speed, wireless network adapters plug directly into select Epson projectors and displays, allowing quick and easy access to the LAN or peer-to-peer networks without wires or cables. When used with Epson Projector Management Software, Network Projection and Multi-PC Projection software, they allow users to remotely access and control projectors over the wireless LAN.

- Compliant with 802.11 b/g/n standards
- Compatible with PC or Mac
- Uses USB Type-A connector
- Able to transmit audio



Sound Enhancement

Active Speakers | V12H467020 (ELPSP02)

Enhance the learning experience with 30 W of rich, powerful sound. This active speaker set (with built-in amplifiers) lets students clearly hear lessons. The ELPSP02 speakers can be easily mounted on the wall and can be used with any Epson projector or display, with or without the PowerLite Pilot.



Audio/Visual Control Systems

PixiePlus™ | ELPSP10

Featuring a sleek, space-saving design, PixiePlus is an affordable, easy-to-use projector control system designed for in-wall installation.

- Easy installation — installs in any standard wall box
- Save both money and energy — automatic projector shutdown timer feature



PowerLite Pilot 3 Connection and Control Box | V12H927020 (ELPCB03)

Maximize cable management and control for your classroom projector with the PowerLite Pilot 3, a convenient wall-mounted A/V connection and control box for Epson short-throw and ultra short-throw projectors. Designed to support an array of devices, the PowerLite Pilot 3 streamlines source switching and volume control. With 3x HDMI control buttons (including 1 MHL), you can select from an array of connected classroom devices — and even display two sources side-by-side onscreen at once using your projector's Split Screen feature¹⁵. You can also use it as an extension box to expand the range of your cables and increase flexibility.



Whiteboards and Screens

100" Whiteboard (16:10) | V12H831000

A combined projection and dry-erase surface, this 100" Whiteboard is the ultimate projection partner for classrooms. Featuring a matte-white, low-gloss surface, this Whiteboard enables high-quality projection with minimal glare or reflection. Ideal for use with widescreen projectors.



ES1000 Ultra Portable Tabletop Projection Screen | V12H002S4Y

This lightweight, compact screen is the perfect partner for on-the-go lessons. When you're ready to present, the ES1000's unique one-piece design allows you to set up quickly and easily on any tabletop in less than 30 seconds. It conveniently accommodates up to a 50" (diagonal) image. And, when it's time to shut down, the ES1000 stores quickly and easily in just seconds.



ES3000 Ultra Portable Projector Screen | V12H002S3Y

An easy-to-use, portable projection screen, the ES3000 is designed to expand to the size that best meets your needs: standard 4:3, widescreen 16:9 or widescreen 16:10. Plus, you can take it anywhere — with the included wheeled case, it's easy to transport. Its unique, one-piece design means there's no need to assemble various components. And, when it's time to shut down, the ES3000 stores quickly and easily.



Interactive Pens

Replacement Pens | Orange V12H773010 (ELPPN05A) / Blue V11H774010 (ELPPN05B)

These two pens offer interactive drawing and mouse capabilities and simultaneous operation with BrightLink 500 Series, 600 Series and 710Ui interactive displays. Powered by a single AA battery, the pens include a convenient on/off power button with Sleep Mode to prolong battery life.



Mounting Accessories

Short-throw Wall Mount | V12H706020 (ELPMB45)

Designed exclusively for use with Epson's PowerLite 500 Series short-throw displays, as well as the BrightLink 536Wi, this wall mount offers an easy, affordable solution for integration with a variety of interactive or standard dry-erase whiteboards. The wide mounting plate and telescopic extension arm offer convenient and flexible installation, while the vertical and horizontal adjustments provide easy image alignment. And, when your short-throw display is attached to the wall mount, there is less shadow interference and glare, for a more optimal presenting and viewing experience.



Ultra Short-throw Wall Mount | V12H777020 (ELPMB46)

Designed exclusively for use with Epson's PowerLite 600 Series and BrightLink 600 Series ultra short-throw displays, this wall mount offers an easy, affordable solution for integration with a variety of interactive or standard dry-erase whiteboards. The wide mounting plate and telescopic extension arm offer convenient and flexible installation from 53" – 100", while the vertical and horizontal adjustments provide easy image alignment. And, when your ultra short-throw display is attached to the wall mount, there is less shadow interference and glare, which ensures a more optimal presenting and viewing experience.



Ultra Short-throw Wall Mount for Laser Displays | V12H902020 (ELPMB53)

Designed exclusively for use with Epson's PowerLite, BrightLink and BrightLink Pro ultra short-throw laser displays, this wall mount offers an easy, affordable solution for wall-mounted displays. The wide mounting plate and telescopic extension arm offer convenient and flexible installation from 70" – 100" for BrightLink 710Ui and BrightLink Pro 1470Ui, and up to 130" for the PowerLite 700U. And, when your ultra short-throw display is attached to the wall mount, there is less shadow interference and glare, for a more optimal presenting and viewing experience.



Low Ceiling Mount / High Ceiling Mount | V12H802010 (ELPMB47) / V12H803010 (ELPMB48)

Specifically designed for use with Epson Pro G and L Series projectors, these heavy-duty mounts support up to 165 lb and offer independent adjustments for vertical tilt, horizontal roll, and rotation. The Low Ceiling Mount offers a low-profile, aesthetic design, while the High Ceiling Mount features MicroZone adjustments for fast, precise projector registration. And, their sleek, silver finish blends in with ceilings.



Universal Projector Kit | V12H808001 (ELPMBPJG)

Includes a Universal Projector Mount, 3" (76 mm) Fixed Extension Column and Speed-Connect Ceiling Plate.



Custom Micro-adjustable Projector Mount | V12H809001 (ELPMBPRH)

Specifically designed for use with the Epson Pro G and PowerLite 2000 and 5000 Series.



Speed-Connect Above-tile Suspended Ceiling Kit | V12H804001 (ELPMBP04)

Provides a host of features for fast, more secure installation of most lightweight, front-projection models.



Suspended Ceiling Tile Replacement Kit | V12H805001 (ELPMBP05)

Designed to replace one 2' x 2' ceiling tile or to sit above a suspended ceiling.



Speed-Connect Suspended Ceiling Tile Replacement Kit | V12H806001 (ELPMBP06)

Provides features that ensure a faster, more secure installation of most lightweight, front-projection models.



6" Speed-Connect Ceiling Plate | V12H807001 (ELPMBP07)

Offers a clean look and time-saving cable management features while focusing on the speed of installation.



9" – 12" Adjustable Extension Column | V12H810001 (ELPMBC02)

Saves installation time and maximizes security.



6" Fixed Extension Column | V12H811001 (ELPMBC03)
Lowers projectors to the desired height.

3" Fixed Extension Column | V12H812001 (ELPMBC04)
Lowers projectors to the desired height.

Replacement Lamps FOR AS LOW AS \$59

Epson offers low-cost, user-replaceable lamps for our education customers.



\$59 Lamps

- V13H010L79
- V13H010L80
- V13H010L87
- V13H010L90
- V13H010L91
- V13H010L92

\$89 Lamps

- V13H010L71
- V13H010L88

\$109 Lamps

- V13H010L65
- V13H010L78
- V13H010L94
- V13H010L95

\$165 Lamps

- V13H010L75
- V13H010L77

\$219 Lamps

- V13H010L93

Projector Disclaimers

- 1 Leading 70" class 4K resolution flat panel in a 22' (width) by 27' (depth) training room arrangement. Participants were seated 8' to 27' from the display. When asked to copy down six short items of information from slides being displayed, 55 percent of respondents ages 18+ copied at least one item incorrectly. Based on U.S. research conducted by Radius Research 2016.
- 2 Expedited shipping not available in all areas. Road Service orders must be in by 3 p.m. Eastern Time for Next-Business-Day delivery. In the event of service or repair for the Pro L25000U, Next-Business-Day shipping is not available. However, the projector comes with a postage-paid return shipping label. And, it will be shipped back to you free of charge.
- 3 4K Enhancement Technology shifts each pixel diagonally by 0.5 pixels to double the resolution and surpass Full HD image quality.
- 4 Emulation Mode is limited to certain code sets and may not support all codes. Contact Epson Support for the latest supported sets.
- 5 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.
- 6 Actual hours may vary depending on mode and usage environment. For the Pro L Series laser projectors, 20,000 hours is the estimated laser light source life when the projector is used in Normal Mode in an ordinary environment. The projector has a limited warranty of 3 years or 20,000 hours, whichever comes first; for the BrightLink Pro 1470Ui, BrightLink 710Ui, and PowerLite 700U, 20,000 hours is the estimated projector laser light source life when used in Normal Mode. The projector comes with a 3-year limited warranty; for the PowerLite L400/500/600 Series, 20,000 hours is the estimated laser light source life when used in Normal Mode. The projector has a standard limited warranty of 3 years; for LightScene, 20,000 hours is the estimated projector life when used in Normal Mode. The projector has a limited warranty of 3 years or 20,000 hours, whichever comes first.
- 7 Full HD WUXGA (1920 x 1200), SXGA+ (1400 x 1050), WXGA (1280 x 800), XGA (1024 x 768), SVGA (800 x 600).
- 8 For wireless functionality, including via the Epson iProjection App, the projector must be configured on a network, either through the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Check your owner's manual to determine if a wireless LAN module must be purchased separately to enable a wireless connection. Not all Epson projectors are able to be networked. The Epson iProjection App does not support all files and formats. See www.epson.com for details.
- 9 Moderator control, Image sharing, Annotation tools, Connecting via QR code and Projector Remote are not available on Epson iProjection for Chromebooks.
- 10 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.
- 11 Requires Easy Interactive Driver. Certain functionality is only available through Epson Interactive Tools (EIT) software. For a list of supported operating systems, visit www.epson.com
- 12 Works only with Epson projectors that support presentation over the network capability.
- 13 Includes one Mobile High-Definition Link® (MHL) HDMI port.
- 14 Life of the optical engine may vary depending on mode and usage environment. The projector has a standard limited warranty of 3 years.
- 15 Split Screen feature requires remote control. Consult your user manual for input combinations.

Document Cameras



Document Cameras

Expand the focus of your curriculum with Epson document cameras, which allow students and instructors alike to explore content, objects and complex concepts in real time. With features like digital zoom, A/V recording, one-touch auto focus, HDMI connectivity, and a microscope adapter, these essential instructional tools elevate mathematics, science, engineering and arts coursework into engaging, collaborative and dynamic learning experiences.



Easy-to-use Document Cameras

Bring coursework to life with Epson's easy-to-use document cameras. Capture and display books, 3D objects, equations, and experiments with amazing resolution up to HD 1080p. From demonstrating chemical reactions to zooming in on documents, artifacts, and specimens — or even recording lessons for distance learning and online applications — Epson DC Series document cameras help improve the efficiency and effectiveness of classroom instruction.



MODEL	DC-07	DC-13	DC-21
Product Code	V12H759020	V12H757020	V12H758020
Zoom	8x Digital	16x Digital	12x Optical, 10x Digital
Pixel Count	2MP	2MP	2MP
Output Resolution (Max.)	1080p	1080p	HD 1080p
Frame Rate	30 fps	30 fps	30 fps
Connectivity (Output)	USB	USB, VGA, HDMI	USB, VGA, HDMI
Capture Area	10.7" x 14.3"	11.7" x 20.7"	11.7" x 20.7"
A/V Recording	Yes	Yes	Yes
Built-in Microphone	Yes	Yes	Yes
Microscope Adapter	—	Yes	Yes
SD Card Slot*	—	Yes	Yes
Software Included	Yes	Yes	Yes

FEATURES

- **Record and share audio/video lessons** — built-in microphone and included software; one-touch A/V recording
- **Astounding clarity and remarkable detail** — with one-touch auto focus
- **Share magnified images** — microscope adapter included on the DC-13 and DC-21; supports many standard microscopes
- **Convenient Freeze and Capture buttons** — easily pause and/or resume the image

CONNECTIVITY



Product shown is DC-21.

For more information, visit

www.epson.com/documentcameras

*SD card not included. Not all SD cards are supported.

Printers



Distributed Printing



Cartridge-Free Printers



Multifunction Graphics Printers

Offering outstanding value, advanced print management and security features, and easy wireless integration, Epson's letter-size and wide-format single-function and multifunction printers reduce overall costs and improve efficiencies. Ideal for use in libraries and resource centers, administrative offices, labs, and more, this innovative lineup — including Epson's groundbreaking WorkForce® Enterprise printers and Replaceable Ink Pack System (RIPS) printers — delivers ultra high-speed, affordable color printing without sacrificing quality.



Ultra High-speed Multifunction Network Printers

Epson's flagship color multifunction network printers speed through prints. Powered by PrecisionCore® Line Head Technology, these printers deliver brilliant-quality output. Powerful but efficient printers, they utilize up to 50 percent less power than A3 color MFPs¹, to keep operating costs in check, and can be installed with any 110 V outlet.



MODEL	WorkForce Enterprise WF-C17590	WorkForce Enterprise WF-C20590
Product Code	C11CH011201	C11CE47201
Functionality	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax
Ink Delivery	Ink cartridges	Ink cartridges
Highest Replacement Ink Yield*	~50,000 pgs. bk/~50,000 pgs. clr	~50,000 pgs. bk/~50,000 pgs. clr
ISO Print Speed 1-sided [†]	75 ISO ppm (bk/clr)	100 ISO ppm (bk/clr)
ISO Print Speed 2-sided [†]	75 ISO ipm (bk/clr)	100 ISO ppm (bk/clr)
Paper Capacity	Up to 5,350 sheets ²	Up to 5,350 sheets ²
Connectivity	Ethernet, USB, Wireless, Wi-Fi Direct ³ , NFC ⁴ , PCL ⁵ /PS	Ethernet, USB, Wireless, Wi-Fi Direct ³ , NFC ⁴ , PCL ⁵ /PS
Mobile Device/Chromebook Printing ⁶	Yes	Yes
Max. Paper Size	Standard cassette up to 11" x 17"; multipurpose tray up to 13" x 47.2"	Standard cassette up to 11" x 17"; multipurpose tray up to 13" x 47.2"
IT Administration/Security Tools	Yes	

FEATURES

- **Breakthrough print speed** — 100 ISO ppm[†] on the WF-C20590, the fastest in its class¹
- **Quality without compromise** — advanced PrecisionCore technology and a stationary line head deliver both speed and professional-quality output
- **PaperCut™ ready** — customizable print management option; manage and track prints from touchscreen via user login or ID card (PaperCut software sold separately)
- **Conserve energy** — up to 50 percent lower power consumption than color lasers¹, works with any 110 V outlet

RECOMMENDED ACCESSORIES

- Optional Professional Finisher with Bridge Unit (C12C933261BU)
- Optional High-capacity Input (C12C933331)
- Optional Paper Cassette Lock (C12C933231)

*Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges after the "replace cartridge" signal. For details, see www.epson.com/inkinfo



This intuitive 9" interface makes it easy to do more — print, copy, scan — with just a touch

High-volume Distributed Printing for Labs and Administrative Offices

Ideal for fast, high-volume, low-cost, letter-size black-and-white and/or color printing in computer labs and administrative offices, Epson WorkForce Pro single-function and multifunction printers offer heavy-duty, reliable performance, plus easy, secure and cost-effective print management for your entire education network.



	Mono Workgroup		Color Workgroup				Replaceable Ink Pack System	
MODEL	WorkForce Pro WF-M5299	WorkForce Pro WF-M5799	WorkForce Pro WF-C5290	WorkForce Pro WF-C5790	WorkForce Pro WF-C8190	WorkForce Pro WF-6590	WorkForce Pro WF-C529R	WorkForce Pro WF-C579R
Product Code	C11CG07201	C11CG04201	C11CG05201	C11CG02201	C11C070201	C11CD68201	C11CG79201BU	C11CG77201BU
Functionality	Print	Print, Copy, Scan, Fax	Print	Print, Copy, Scan, Fax	Print	Print, Copy, Scan, Fax	Print	Print, Copy, Scan, Fax
Ink Delivery	Ink packs*	Ink packs*	Ink packs*	Ink packs*	Ink cartridges*	Ink cartridges*	Ink packs*	Ink packs*
Highest Replacement Ink Yield**	~40,000 pgs. bk		~10,000 pgs. bk/ ~8,000 clr		~11,500 pgs. bk/ ~7,000 clr		~50,000 pgs. bk/ ~20,000 clr	
ISO Print Speed 1-sided†	24 ISO ppm (bk)††		24 ISO ppm (bk/clr)		24 ISO ppm (bk/clr)		24 ISO ppm (bk/clr)	
ISO Print Speed 2-sided†	15 ISO ppm (bk)††		15 ISO ppm (bk/clr)		16 ISO ppm (bk/clr)		15 ISO ppm (bk/clr)	
Paper Capacity	Up to 830 sheets²		Up to 830 sheets²		Up to 1,835 sheets²		Up to 1,330 sheets²	
Connectivity	Ethernet, USB, Wireless, Wi-Fi Direct³, PCL⁵/PS				Ethernet, USB, Wireless, Wi-Fi Direct³, NFC⁴, PCL⁵/PS		Ethernet, USB, Wireless, Wi-Fi Direct³, PCL⁵/PS	
Mobile Device/ Chromebook Printing⁶	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Max. Print Size	8.5" x 47.2"	8.5" x 47.2"	8.5" x 47.2"	8.5" x 47.2"	13" x 47.5"	13" x 47.5"	13" x 47.5"	13" x 47.5"
Easy IT Administration Tools	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

FEATURES

- **Low total cost of ownership** — up to 60% lower total printing costs vs. monochrome laser (WF-M5299, WF-M5799); up to 45% lower total printing costs vs. color laser (WF-C5290, WF-C5790); up to 50% lower printing costs vs. color laser (WF-6090, 6590); and up to 75% lower total printing costs vs. color laser (WF-C529R, WF-C579R)⁷
- **Versatile paper handling** — auto 2-sided printing with multiple trays for uninterrupted printing with different paper types
- **PaperCut™ ready** — customizable print management option; manage and track prints from touchscreen via user login or ID card
- **Security features** — PIN number certification for job release; user control access, printer and network settings via Web Config with printer's IP address; SSL/TLS security; IPsec

RECOMMENDED ACCESSORIES

WorkForce Pro M5000/ C5000/C500R Series

- Optional 500-sheet Paper Cassette Tray (C12C932871)
- Maintenance Box (T671600)

WorkForce Pro C8000 Series

- Optional 500-sheet Paper Cassette Tray (C12C932611)
- Optional Cabinet (C12C932891)
- Maintenance Box T671400 (C13T671200)

WHAT IS THE REPLACEABLE INK PACK SYSTEM (RIPS)?

WorkForce Pro printers featuring Epson's Replaceable Ink Pack System use high-capacity ink packs that reduce total operating costs, providing amazingly affordable, low-cost printing plus versatile media handling for budget-minded schools.

The replacement ink packs for the WF-C529R and WF-C579R deliver enough ink to print up to 50,000 pages black/20,000 color**



* Designed for use exclusively with Epson cartridges or ink packs (ink delivery varies by model)⁹.

** Replacement ink pack yields are based on the ISO/IEC 24711 standard using the ISO/IEC 19752 pattern in Default Mode printing continuously. Ink pack yields vary considerably for reasons including images printed, print settings, temperature, humidity, and frequency of use. Yields may be lower when printing infrequently. Ink is used for printing and printer maintenance. For print quality, part of the ink from the included pack is used for printer startup and a variable amount of ink remains in the pack after the "replace ink pack" signal. For details, see www.epson.com/inkinfo

Wide-format Distributed Printing for Libraries and Resource Centers

Epson's WorkForce and WorkForce Pro wide-format single-function and multifunction printers offer fast printing and scanning for pages as large as 13" x 19". Their versatility is ideal for wide-format printing, copying and scanning of documents, books, and more by both students and faculty.



MODEL	Versatile			Fast with Secure IT Tools		Replaceable Ink Pack System
	WorkForce WF-7210	WorkForce WF-7710	WorkForce WF-7720	WorkForce Pro WF-C8190	WorkForce Pro WF-C8690	WorkForce Pro WF-C869R
Product Code	C11CG38201	C11CG36201	C11CG37201	C11CG70201	C11CG68201	C11CF34201
Functionality	Print	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax
Ink Delivery	Ink cartridges	Ink cartridges	Ink cartridges	Ink cartridges*	Ink cartridges*	Ink packs*
Highest Replacement Ink Yield**	~2,200 pgs. bk/ ~1,100 clr	~2,200 pgs. bk/ ~1,100 clr	~2,200 pgs. bk/ ~1,100 clr	~11,500 pgs. bk/ ~8,000 clr	~11,500 pgs. bk/ ~8,000 clr	~86,000 pgs. bk/ ~84,000 clr
ISO Print Speed 1-sided†	18/10 ISO ppm (bk/clr)	18/10 ISO ppm (bk/clr)	18/10 ISO ppm (bk/clr)	24 ISO ppm (bk/clr)	24 ISO ppm (bk/clr)	24 ISO ppm (bk/clr)
ISO Print Speed 2-sided†	8.7/6.0 ISO ppm (bk/clr)	8.7/6.0 ISO ppm (bk/clr)	8.7/6.0 ISO ppm (bk/clr)	16 ISO ppm (bk/clr)	16 ISO ppm (bk/clr)	16 ISO ppm (bk/clr)
Paper Capacity	500 sheets	250 sheets	500 sheets	Up to 1,830 sheets²	Up to 1,830 sheets²	Up to 1,835 sheets²
Connectivity	Ethernet, USB, Wireless, Wi-Fi Direct³, NFC⁴			Ethernet, USB, Wireless, Wi-Fi Direct³, PCL⁵/PS		
Mobile Device/Chromebook Printing⁶	Yes	Yes	Yes	Yes	Yes	Yes
Max. Print Size	13" x 19"	13" x 19"	13" x 19"	13" x 19"	13" x 19"	13" x 19"
Easy IT Administration Tools	—	—	—	Yes	Yes	Yes

FEATURES

- **Versatile paper handling** — print letter-sized documents all the way up to 13" x 19", with auto 2-sided printing and high-capacity paper trays for uninterrupted printing
- **Low total cost of ownership** — significant savings and dramatically reduced power usage vs. color laser printers
- **PaperCut ready** — customizable print management option; manage and track prints from touchscreen via user login or ID card***
- **Security features** — PIN number certification for job release; user control access, printer and network settings via Web Config with printer's IP address; SSL/TLS security; IPsec***

RECOMMENDED ACCESSORIES

WorkForce Pro C8000 Series

- Optional 500-sheet Paper Cassette (C12C932611)
- Optional Cabinet (C12C932891)
- Maintenance Box (T671400)
- Optional Retractable Output Tray (C12C934171)

WorkForce Pro WF-C869R

- Optional 500-sheet Paper Cassette (C12C932611)
- Optional Cabinet (C12C932891)
- Maintenance Box (T671400)
- Optional Retractable Output Tray (C12C934171)

The WorkForce Pro WF-C869R is fitted with an economical, large-capacity Replaceable Ink Pack System so you can print substantially more pages before replacing inks. The replacement ink packs for the WF-C869R deliver enough ink to print up to 86,000 pages black/84,000 color.**



*Designed for use exclusively with Epson cartridges or ink packs (ink delivery varies by model)†

**Replacement cartridge and ink pack yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer/all-in-one maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges or packs is used for printer startup and a variable amount of ink remains in the cartridges or packs after the "replace cartridge" or "replace ink pack" signal. For more information, see www.epson.com/inkinfo

***Not available on the WorkForce WF-7000 series printers.

Classroom and Mobile Printing

Classrooms are evolving towards 1:1 learning, and mobile device usage is on the rise. Epson printers have evolved, too, with a full portfolio of desktop all-in-ones and mobile printers that come equipped with wireless connectivity and mobile device printing.



	Mobile Printing	For the Classroom						
MODEL	WorkForce WF-100	WorkForce WF-2750	WorkForce WF-2860	WorkForce Pro WF-3730	WorkForce Pro WF-4720	WorkForce Pro EC-4020	WorkForce Pro EC-4030	WorkForce Pro EC-4040
Product Code	C11CE05201	C11CF76201	C11CG28201	C11CH04201	C11CF74201	C11CF74203	C11CG01205	C11CF75203
Functionality	Print	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax
Ink Delivery	Ink cartridges*	Ink cartridges*	Ink cartridges*	Ink cartridges*	Ink cartridges*	Ink cartridges*	Ink cartridges*	Ink cartridges*
Highest Replacement Ink Yield**	~250 pgs. bk/ ~200 clr	~500 pgs. bk/ ~450 clr	~550 pgs. bk/ ~470 clr	~1,100 pgs. bk/ ~950 clr	~2,600 pgs. bk/ ~1,900 clr	~2,600 pgs. bk/ ~1,900 clr	~2,600 pgs. bk/ ~1,900 clr	~5,500 pgs. bk/ ~4,000 clr
ISO Print Speed 1-sided†	AC: 6.7/3.8 Battery: 3.5/2.0 ISO ppm (bk/clr)	13.7/7.3 ISO ppm (bk/clr)	14/7.5 ISO ppm (bk/clr)	20/10 ISO ppm (bk/clr)	20 ISO ppm (bk/clr)	20 ISO ppm (bk/clr)	24/22 ISO ppm (bk/clr)	24 ISO ppm (bk/clr)
ISO Print Speed 2-sided†	—	6.5/4.5 ISO ppm (bk/clr)	6.5/4.5 ISO ppm (bk/clr)	10/7.0 ISO ppm (bk/clr)	12 ISO ppm (bk/clr)	12 ISO ppm (bk/clr)	14 ISO ppm (bk/clr)	15 ISO ppm (bk/clr)
Paper Capacity	20 sheets	150 sheets	150 sheets	500 sheets	250 sheets	500 sheets	500 sheets	580 sheets
Connectivity	USB, Wireless, Wi-Fi Direct³		Ethernet, USB, Wireless, Wi-Fi Direct³, NFC⁴					
Mobile Device/Chromebook™ Printing⁶	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Max. Print Size	Legal	Legal	Legal	Legal	Legal	Legal	Legal	Legal

FEATURES

- **Performance you can count on** — amazing quality, fast speeds and exceptional reliability to meet your classroom printing needs
- **Chromebook printing right out of the box** — no additional software is required
- **Ultimate wireless solution** — easy iPad®, iPhone®, Android tablet and smartphone printing⁶; includes Wi-Fi Direct³ for network-free printing
- **Print on the go** — lightweight, small printer for out-of-town teachers' conferences or class field trips (WF-100 only)

*Designed for use exclusively with Epson cartridges.

**Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges after the "replace cartridge" signal. For details, see www.epson.com/inkinfo

Cartridge-Free Printing

Epson's EcoTank line of supertank all-in-one printers features Cartridge-Free Printing and revolutionary ink replacement technology. They offer the perfect combination of value and convenience, with super-high-capacity, easy-to-fill ink tanks. These all-in-one printers come with enough ink in the box to print for up to 2 years*, so you can print thousands of pages black/color**.

Maximize convenience, savings, quality and reliability, all in one incredible printer. EcoTank printers offer the freedom to print in color, with less impact on your supplies budget — you'll save up to 80 percent on ink with low-cost replacement ink bottles vs. ink cartridges*** (ST-3000, ST-4000 and ET-16500 only). It's the smart choice for high-volume, high-quality, hassle-free printing.



MODEL	EcoTank ST-3000	EcoTank ST-4000	EcoTank ET-16500	EcoTank ET-8700****
Product Code	C11CG20202	C11CG19202	C11CF49201	C11CG39201
Functionality	Print, Copy, Scan, ADF	Print, Copy, Scan, Fax	Wide-format, Print, Copy, Scan, Fax	Print, Copy, Scan, Fax
Ink Delivery	Ink bottles	Ink bottles	Ink bottles	Ink packs
Included Ink Yield**	~14,000 pgs. bk/ ~11,200 clr	~14,000 pgs. bk/ ~11,200 clr	~10,500 pgs. bk/ ~11,000 clr	~16,000 pgs. bk/ ~11,000 clr
ISO Print Speed 1-sided†	15/8.0 ISO ppm (bk/clr)	15/8.0 ISO ppm (bk/clr)	18/10 ISO ppm (bk/clr)	24 ISO ppm (bk/clr)
ISO Print Speed 2-sided†	6.5/4.5 ISO ppm (bk/clr)	6.5/4.5 ISO ppm (bk/clr)	8.7/6.0 ISO ppm (bk/clr)	15 ISO ppm (bk/clr)
Paper Capacity	150 sheets	250 sheets	500 sheets	580 sheets
Connectivity	Ethernet, USB, Wireless, Wi-Fi Direct³			
Mobile Device/Chromebook Printing⁶	Yes	Yes	Yes	Yes
Max. Print Size	Legal	Legal	13" x 19" borderless	Legal

FEATURES

- **Cartridge-Free Printing** — comes with up to 2 years of ink in the box*
- **Save up to 80 percent with low-cost replacement ink bottles vs. ink cartridges***** — features easy-to-fill, supersized ink tanks (ST-3000, ST-4000, and ET-16500 only)
- **Chromebook printing right out of the box⁶** — no additional software is required
- **Ultimate wireless solution plus Ethernet** — easy iPad, iPhone, Android tablet and smartphone printing⁶; includes Wi-Fi Direct³ for network-free printing

*Based on average monthly document print volumes of about 300 pages (ST-3000, ST-4000, ET-16500), and 450 pages (ET-8700).

**ST-3000/4750/16500 included ink bottle yields based on the ISO/IEC 24712 pattern with Epson's methodology. ET-8700 included ink pack yields are estimated based on ISO/IEC 24711 test in Default Mode printing continuously. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors must be available for printing. For more information, visit www.epson.com/inkinfo

***Savings comparison based on the purchase cost of replacement ink bottles and the cost of enough cartridges to achieve the total page yields of the bottles using the manufacturers' online prices and yields for the highest-capacity cartridges for the best-selling similarly featured consumer inkjet printers priced at \$499 USD or less per industry available data, August 2018. Actual savings will vary based on print tasks, print volumes and usage conditions.

****Designed for use exclusively with Epson ink packs.†



Large-format Single and Multifunction Graphics Printers

Easily produce a wide range of large-format, professional-quality graphics and signage up to 44" wide for indoor and outdoor usage. From rigid posterboard or posters to CAD drawings or backlit film for a lighted display, it's all in a day's work with Epson SureColor T-Series printers.



MODEL	24"			36"				44"	
	SureColor T3170	SureColor T3270	SureColor T3470	SureColor T5170	SureColor T5270	SureColor T5470	SureColor T5270D	SureColor T7270	SureColor T7270D
Product Code	SCT3170SR	SCT3270SR	SCT3470SR	SCT5170SR	SCT5270SR	SCT5470SR	SCT5270DR	SCT7270SR	SCT7270DR
Max. Width	24"	24"	24"	36"	36"	36"	36"	44"	44"
Number of Rolls	Single	Single	Single	Single	Single	Single	Dual	Single	Dual
Ink Type	UltraChrome® XD2	UltraChrome XD2	UltraChrome XD	UltraChrome XD2	UltraChrome XD	UltraChrome XD2	UltraChrome XD	UltraChrome XD	UltraChrome XD
Largest Replacement Ink Size	80 mL (Black)	700 mL	350 mL	80 mL (Black)	700 mL	350 mL	700 mL	700 mL	700 mL
D-size Print ⁹ Speed (24" x 34")	34 sec.	28 sec.	25 sec.	31 sec.	25 sec.	25 sec.	25 sec.	25 sec.	25 sec.
Optional Scanner	—	—	—	—	36"	—	36"	36"	36"
Connectivity	Ethernet, Wireless, USB	USB or Ethernet	Ethernet, Wireless, USB	Ethernet, Wireless, USB	USB or Ethernet	Ethernet, Wireless, USB	USB or Ethernet	USB or Ethernet	USB or Ethernet
Internal Print Server	—	Optional 320GB	—	—	Optional 320GB	—	Optional 320GB	Optional 320GB	Optional 320GB
USB Direct Print	—	—	Yes	—	—	Yes	—	—	—

FEATURES

- **No need to laminate** — prints are water resistant and smudge resistant with UltraChrome XD and UltraChrome XD2 pigment ink
- **Low cost of operation** — high-capacity ink cartridges up to 700 mL for low printing costs
- **Versatile** — print a variety of media, including rigid posterboard up to 1.5 mm thick⁹
- **Optional 320GB internal print server** — remotely manage print queues and save and reprint jobs (available for select models; sold separately)

RECOMMENDED ACCESSORIES

- Optional Stand (C12C933151) — T3170 only
- Multifunction Scanner Module for 36" (SCT36SCAN) — T5270/D only
- Multifunction Scanner Module for 44" (SCT44SCAN) — T7270/D only
- 320GB Internal Print Server (C12C848031) — Tx270/D only



Printer Disclaimers

- ◇ This product uses only genuine Epson-brand cartridges or ink packs (ink delivery varies by model). Other brands of ink supplies are not compatible and, even if described as compatible, may not function properly.
- † Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed
- †† Black print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed
- 1 Compared to best-selling A3 color MFPs with MSRP of \$41,000 or less. Competitive data gathered from manufacturer websites and third-party industry sources as of Nov. 2016.
- 2 With optional paper tray(s). Number of optional trays varies by model.
- 3 Wi-Fi CERTIFIED™; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.
- 4 NFC requires use of a device that includes NFC, and may require additional software.
- 5 Not all media types are supported for PCL printing.
- 6 Most features require an Internet connection to the printer, as well as an Internet- and/or email-enabled device. For a list of Epson Connect™ enabled printers and compatible devices and apps, visit www.epson.com/connect
- 7 Compared to similarly featured monochrome printers under \$500 and under 40 ppm based on industry available data, April 2018. Cartridge prices are based on manufacturer yield and online pricing. Printer prices are average sales prices per industry available data, April 2018. Savings ranges from up to 40% – 75%. Savings will vary based on printers, cartridges and usage conditions (WF-M5299, WF-M5799); compared with best-selling, color laser printers priced at \$499 (USD) or less and 30 ppm or less, as of October 2017. Calculation based on continuous printing with highest-capacity individual cartridges. Actual savings will vary based on print task and use conditions. (WF-C5290, WF-C5790); compared to best-selling color lasers priced at \$600 (USD) or less as of May 2015. Actual power savings will vary by product model and usage (WF-6090, WF-6590); compared with best-selling, single-function and multifunction color laser printers priced at \$2,000 (USD) or less and with speeds of 40 ppm or less per industry available data as of June 2018. Calculation based on continuous printing with highest-capacity individual cartridges sold in retail. Actual savings will vary based on print task and use conditions (WF-C529R, WF-C579R).
- 8 Print speeds are based on the print engine speed only. Total throughput time for any print depends on workstation configuration, file size, print resolution, ink coverage, networking, etc. Actual print speeds will vary.
- 9 Ability to print directly to rigid posterboard. Only available on the SureColor Tx270/D models.

Scanners



Mobile Scanners



Desktop/Workgroup Scanners



Flatbed Scanners



Photo and Graphic Arts Scanners

Maximize productivity and simplify file management. Epson's wide array of mobile, desktop, flatbed, photo and large-format scanners makes it easy to capture important student documents, artwork, photos and more.



Document Scanners for Staff on the Go

These lightweight mobile document scanners let administrators and staff scan documents, ID cards and more, whether working on campus or remotely. For even more flexibility, this versatile lineup includes a wireless model and ADF model for easy, efficient organization in virtually any setting.



MODEL	WorkForce DS-70	WorkForce DS-80W	Epson DS-320
Product Code	B11B252202	B11B253202	B11B243201
Limited Warranty ¹	3-year	3-year	3-year
Power Source	USB	USB or battery	AC or USB*
ADF Capacity	—	—	20 pages
Simplex/Duplex Scan Speeds	10 ppm ² /—	15 ppm ² /—	25 ppm/50 ipm ³
Wireless	—	Yes	—
TWAIN/ISIS [®] Drivers	TWAIN	TWAIN	Both
Scan-to-cloud ⁴ /OCR Software	Yes	Yes	Yes
Max. Page Length	72"	72"	44"
Network Interface Unit	—	—	—
Optical Resolution (dpi)	600	600	600

FEATURES

- **Organization on the go** — scanners easily fit in a shoulder bag or briefcase
- **Scan to online storage accounts⁴** — intuitively scan to Dropbox[®], SharePoint[®], Evernote[®], FileBound, Google Drive[™] and more
- **Generate searchable and editable files** — scan to editable Word and Excel[®] files or searchable PDF files
- **Powerful software included** — Epson Scan 2, Epson Document Capture and more

RECOMMENDED ACCESSORIES

- Maintenance Sheet Kit for DS-70/DS-80W (B12B819481)
- Carrier Sheets for DS-70/DS-80W (B12B819451)
- Separation Pad for DS-320 (B12B819271)
- Pick-up Roller for DS-320 (B12B819251)

*USB 3.0 power requires USB 3.0 connection port on your computer.

Document Scanners for Records, Grading, Forms and More

These fast, efficient and compact desktop/workgroup scanners breeze through stacks of 2-sided documents — plus rigid ID cards, folded pages up to 11" x 17"* and more. Designed for situations where speed is critical and dependability is paramount, these workgroup scanners offer world-class performance at a significant value.



MODEL	Epson DS-410	Epson DS-530	Epson DS-575W	Epson DS-770	Epson DS-780N	WorkForce DS-860	Epson DS-870	Epson DS-970
Product Code	B11B249201	B11B236201	B11B228202	B11B248301	B11B227201	B11B222201	B11B250201	B11B251201
Limited Warranty ¹	3-year	3-year	3-year	3-year	3-year	3-year	3-year	3-year
ADF Capacity	50 sheets	50 sheets	100 sheets	100 sheets	100 sheets	80 sheets	100 sheets	100 sheets
Simplex/Duplex Scan Speeds	26 ppm/ 52 ipm ⁵	35 ppm/ 70 ipm ⁵	35 ppm/ 70 ipm ⁶	45 ppm/ 90 ipm ⁶	45 ppm/ 90 ipm ⁷	65 ppm/ 130 ipm ⁶	65 ppm/ 130 ipm ⁵	85 ppm/ 170 ipm ⁵
TWAIN/ISIS Drivers	Both	Both	Both	Both	Both	Both	Both	Both
Scan-to-cloud ⁴ /OCR Software	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Max. Page Length	120"	240"	240"	240"	240"	120"	240"	240"
Network Interface	—	Optional unit	Wireless/ optional unit	Optional unit	Built-in (RJ-45)	Optional unit	Optional unit	Optional unit
Optical Resolution (dpi)	600	600	600	600	600	600	600	600

FEATURES

- **Seamless compatibility with document management systems** — TWAIN and ISIS drivers available for easy integration with existing software
- **World-class performance and reliability** — advanced paper feed technology includes Dynamic Skew Correction and Double-feed Detection
- **Scan to online storage accounts⁴** — intuitively scan to Dropbox, Google Drive, SharePoint, Evernote and more
- **Generate searchable and editable files** — scan to editable Word and Excel files or searchable PDF files; OCR software included

RECOMMENDED ACCESSORIES

- Network Interface Unit (B12B808441)
- Flatbed Dock** for DS-530/770 (B12B819011)

Carrier Sheets

- DS-410/530/575W/770/780N/870/970 (B12B819051)
- DS-860 (B12B813431)

Roller Assembly Kit

- DS-410 (B12B819381)
- DS-530/575W/770/780N/870/970 (B12B819031)
- DS-860 (B11B813581)

⁴Requires optional carrier sheet (sold separately).

^{**}Requires Epson Perfection® V19/V39 flatbed scanner (sold separately).

Document Scanners for High-speed, High-volume Scanning

Offering high-speed duplex document scanning* along with flatbed versatility, these scanners are the smart solution for fast, easy scanning for virtually any need. Use the high-capacity ADFs* to blaze through stacks of 1- or 2-sided documents, or use the flatbed to scan oversized hardbound books or other odd-sized items.



MODEL	Epson DS-1630	WorkForce DS-6500	WorkForce DS-7500	WorkForce DS-50000	WorkForce DS-60000	WorkForce DS-70000
Product Code	B11B239201	B11B205221	B11B205321	B11B204121	B11B204221	B11B204321
Limited Warranty ¹	3-year	3-year	3-year	3-year	3-year	3-year
ADF Capacity	50 sheets	100 sheets	100 sheets	—	200 sheets	200 sheets
Simplex/Duplex Scan Speeds	25 ppm/10 ipm ⁵	25 ppm/50 ipm ⁸	40 ppm/80 ipm ⁸	—	40 ppm/80 ipm ⁹	70 ppm/140 ipm ⁹
TWAIN/ISIS Drivers	Both	Both	Both	Both	Both	Both
Scan-to-cloud ⁴ /OCR Software	Yes	Yes	Yes	Yes	Yes	Yes
Max. Page Length	100" (ADF)/ 11.7" (flatbed)	40" (ADF) ¹⁰ / 11.7" (flatbed)	40" (ADF) ¹⁰ / 11.7" (flatbed)	17" ¹¹	100" (ADF) ¹² / 17" (flatbed)	100" (ADF) ¹² / 17" (flatbed)
Network Interface	Optional unit	Optional unit	Optional unit	Optional unit	Optional unit	Optional unit
Optical Resolution (dpi)	600 (ADF)/ 1200 (flatbed)	600 (ADF)/ 1200 (flatbed)	600 (ADF)/ 1200 (flatbed)	600	600	600
Flatbed Size	8.5" x 11.7"	8.5" x 11.7"	8.5" x 11.7"	11.7" x 17" ¹¹	11.7" x 17"	11.7" x 17"

FEATURES

- **Versatile scanning from a leader in image capturing technology** — quickly scan stacks of documents* or use the flatbed for IDs, passports, booklets, fragile items and more
- **Work smarter and more efficiently** — ultra fast speeds, long-paper scanning up to 100", built-in high-capacity ADFs, plus auto duplex scanning*
- **Seamless compatibility with document management systems** — TWAIN and ISIS drivers included for easy integration with existing software
- **3-year limited warranty¹ with world-class service and support** — includes Advance Exchange with free Next-Business-Day Replacement¹³ to minimize downtime

RECOMMENDED ACCESSORIES

- Network Scan Module for DS-6500/7500/50000/60000/70000 (B12B808411)
 - Network Interface Unit for DS-1630 (B11B808441)
- Roller Assembly Kit
- DS-6500/7500 (B12B813481)
 - DS-60000/70000 (B12B813501)

*ADF not available on WorkForce DS-50000.

Photo and Graphic Arts Scanners

Epson offers a wide range of photo scanners perfect for media centers, libraries and fine arts departments. From artwork and book pages to slides and negatives, Epson photo and graphic arts scanners deliver superior scans with precise color and detail.



MODEL	Epson Perfection V39	Epson Perfection V550 Photo	Epson Perfection V600 Photo	Epson Perfection V800 Photo	Epson Perfection V850 Pro	Epson Expression 12000XL Graphic Arts	Epson Expression 12000XL Photo
Product Code	B11B232201	B11B210201	B11B198011	B11B223201	B11B224201	12000XL-GA	12000XL-PH
Film	—	Yes	Yes	Yes	Yes	Optional	Yes
Optical Resolution (dpi)	4800 ¹⁴	6400 ¹⁴	6400 ¹⁴	6400 ¹⁴	6400 ¹⁴	2400	2400
Digital ICE® for Prints/Film	—	Film	Both	Both	Both	—	—
Dual Lens System	—	—	—	Yes	Yes	—	—
Fluid Mount	—	—	—	Optional	Optional	—	—
TWAIN Driver	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Large Format	—	—	—	—	—	Yes	Yes
Max. Scan Area	8.5" x 11.7"	8.5" x 11.7"	8.5" x 11.7"	8.5" x 11.7"	8.5" x 11.7"	12.2" x 17.2"	12.2" x 17.2"
Max. Film Scan Area	—	2.7" x 9.5"	2.7" x 9.5"	8" x 10"	8" x 10"	—	12.2" x 16.5"

FEATURES

- **Remarkable tonal range and shadow detail** — film scanning with high Dmax for smooth gradations and fine shadow detail
- **Scan 35mm slides, negatives and film** — select models include a built-in Transparency Unit
- **Automatically remove dust and scratches** — Digital ICE Technologies remove many surface defects from film and prints
- **ReadyScan® LED light source** — for fast scans with no warmup time needed

RECOMMENDED ACCESSORIES

- Fluid Mount Accessory for V800/V850 (B12B818272)
- Transparency Unit for 12000XL-GA (B12B819221)

Scanner Disclaimers

- For more information, go to www.epson.com/3yearsscannerwarranty
- DS-70: At 300 dpi, based on 8.5" x 11", 1-sheet scan speed. DS-80W: At 300 dpi, based on 8.5" x 11", 1-sheet scan speed, using the battery.
- Based on letter-sized scans at 300 dpi using the AC adapter.
- With Document Capture Pro installed on the connected PC. Internet connection is required. (Windows® only on the DS-860/6500/7500/50000/60000/70000); wirelessly scan to smartphones or tablets (Android/iOS devices) via the Epson DocumentScan app; wirelessly scan to the cloud, PCs or Macs with Epson Document Capture software, installed on the connected Windows PC or Mac. Internet connection is required (DS-80W/575W); with Epson Document Capture software installed on the connected Windows PC or Mac. Internet connection required (DS-320/410/530/770/780N/870/970/1630).
- Based on letter-sized scans at 300 dpi in Black-and-White, Grayscale or Color Mode.
- Based on letter-sized scans at 300 dpi in Black-and-White, Grayscale or Color Mode, using the USB interface.
- Based on letter-sized scans at 300 dpi in Black-and-White, Grayscale or Color Mode, using the USB interface. Scan speed varies depending on network conditions.
- Scan speed based on letter-size paper; 300 dpi from when page scan begins.
- Based on 200 dpi, letter-size, in Black-and-White or color.
- Maximum scan size for Mac is 8.5" x 14"; maximum scan size for Windows is 8.5" x 40".
- Maximum scan size for Mac is 11.7" x 16.54"; maximum scan size for Windows is 11.7" x 17".
- Maximum scan size for Mac is 11" x 17" via the ADF or flatbed; maximum scan size for Windows is 11.7" x 100" via the ADF.
- Subject to limited warranty terms and conditions. Expedited shipping not available in all areas. Road Service orders must be in by 3 p.m. Eastern Time for Next-Business-Day delivery.
- Optical resolution is the maximum scan resolution of the image sensor, using the definition of ISO 14473.



Augmented Reality Smart Glasses



Augmented Reality

Ideal for computer programming classes, STEM applications and drone training programs, Moverio augmented reality (AR) glasses provide a new way of seeing the world. Epson's revolutionary Si-OLED micro-projection technology delivers a highly transparent display that blends digital content seamlessly with the real world.



Smart Glasses for Classroom Applications

Moverio smart glasses are designed to change how you experience the world around you. Continuing to set the standard in augmented reality, Epson offers an innovative and affordable solution with this lightweight, comfortable eyewear, plus a growing ecosystem of partners and solutions.



MODEL	Moverio BT-300FPV (FPV/Drone Edition)	Moverio BT-350 (AR Edition)
Product Code	V11H756020F	V11H837020
Binocular Display Resolution	720p (1280 x 720)	
Camera	Front-facing; high-resolution (5MP, 1080p at 30 fps)	
Connectivity	Dual-band wireless connectivity; Bluetooth® Smart (BLE)	
Internal Memory	16GB	
Memory Card Support	Supports microSDHC cards up to 32GB*	Embedded 32GB microSD card
Platform	Touchpad control unit runs Android OS 5.1 and features an Intel® Atom chipset	
Weight	2.5 oz/69 g (glasses only)	4.2 oz/119 g (glasses only)
Battery	Rechargeable with up to 6 hours of battery life**	
Accessories Included	Dark lens shade, mounting clips for DJI™, remote	Flip shade, neck strap, soft storage bag

FEATURES

- **Built on an Android platform** — familiar and open development environment, plus access to the Moverio SDK with developer tools and resources
- **Ideal for computer programming students** — students can learn how to program Android and Unity applications to support a wearable display, versus traditional mobile devices
- **Ideal for drone training programs** — FPV Edition is compatible with the DJI GO and GO 4 App, providing drone enthusiasts with First-person View (FPV) piloting to maintain line-of-sight control
- **From the world leader in projection technology** — revolutionary Si-OLED micro-projection technology for superior transparency and amazing color and contrast
- **Integration with Dino-Lite® handheld digital microscopes** — connecting Moverio smart glasses to a Dino-Lite microscope allows students to view the output directly in their field of view

RECOMMENDED ACCESSORIES

- Quint Controller Dock for Moverio BT-350 (V12H882W02)



*SDHC card not included.

**Battery life may vary considerably depending on applications used, device settings (for example, wireless on or off, brightness setting), and temperature.



Contact your local representative with questions or to learn about products and special offers.

West Region

Regional Manager:

Kristan Rudloff
Local office: 916-524-4219
Kristan.Rudloff@ea.epson.com

D'arce Buescher

Local office: 707-266-4472
Darce.Buescher@ea.epson.com

Alex Corfar

Local office: 657-221-0961
Alex.Corfar@ea.epson.com

Gary Siddons

Local office: 512-554-4084
Gary.Siddons@ea.epson.com

Cheryl Arment

Local office: 214-783-0159
Cheryl.Arment@ea.epson.com

John Harris

Local office: 888-275-4220
x38372
John.Harris@ea.epson.com

Cody Parkhouse

Local office: 773-658-6618
Cody.Parkhouse@ea.epson.com

East Region

Regional Manager:

Ted Marcus
Local office: 610-659-9187
Ted.Marcus@ea.epson.com

Robert Tate

Local office: 859-866-3232
Robert.Tate@ea.epson.com

Barry Sugarman

Local office: 954-553-2323
Barry.Sugarman@ea.epson.com

Gerald Campana

Local office: 443-253-6091
Gerald.Campana@ea.epson.com

George Poland

Local office: 203-494-8173
George.Poland@ea.epson.com

Rosa Bierman

Local office: 562-981-3840
x19048
Rosa.Bierman@ea.epson.com

Amanda Stoll

Local office: 248-245-9117
Amanda.Stoll@ea.epson.com

Inside Sales Groups

North America

Manager: Nicole Lopez
Office: 310-351-6684
Nicole.Lopez@ea.epson.com

West Region

Lauren Meyer
Office: 888-275-4220 x38364
Lauren.Meyer@ea.epson.com

Southeast Region

Rachelle Sakacs
Office: 888-275-4220 x38369
Rachelle.Sakacs@ea.epson.com

Central Region

John Harris
Office: 888-275-4220 x38372
John.Harris@ea.epson.com


East Region

Richard Valdemar
Office: 888-275-4220 x38362
Richard.Valdemar@ea.epson.com

Northeast Region

Rosa Bierman
Office: 888-275-4220 x38363
Rosa.Bierman@ea.epson.com

FIND YOUR SALES REPRESENTATIVE





Epson Education Solutions

Epson is a leading provider of innovative technology solutions built specially for education that help institutions succeed. We partner with you to offer a seamless experience, working with and across devices, curriculum and infrastructure to best meet your specific needs, focusing on:

- Engaging students
- World-class customer service and support
- Cost-effective, high-quality solutions
- A commitment to the environment

Discover how Epson can help you work toward the future. www.epson.com/foreducation

Epson America, Inc.
3840 Kilroy Airport Way, Long Beach, CA 90806
www.epson.com

Better Products for a Better Future™
eco.epson.com

Product prices and specifications are subject to change without notice. EPSON, ECOTANK, Expression, Instant Off, Moverio, Perfection, PowerLite, PrecisionCore, Quick Corner, ReadyScan, SureColor, UltraChrome and WorkForce are registered trademarks, EPSON Exceed Your Vision is a registered logomark, and Better Products for a Better Future, Epson Connect and Epson iProjection are trademarks of Seiko Epson Corporation. Brighter Futures, BrightLink and LightScene are registered trademarks and Pilot is a trademark of Epson America, Inc. iPad, iPhone and Mac are trademarks of Apple Inc., registered in the U.S. and other countries. Android, Chrome, Chromebook, Google Docs, Google Drive and Google Sheets are trademarks of Google LLC, Excel, SharePoint and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Miracast® and Wi-Fi Direct® are registered trademarks and Wi-Fi CERTIFIED™ is a trademark of Wi-Fi Alliance®. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2019 Epson America, Inc. 4/19 CPD-53460R3